

# FALL 1998 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 56 Surveys)	% of total SAV found
Coontail	3	5	4	5	4	7	6	6	5	45	80%	25%
Curly Pondweed	1	2	3	0	2	7	4	6	5	30	54%	16%
Wild Celery	5	4	5	5	5	6	6	6	5	47	84%	26%
Common Waterweed	4	4	2	3	4	5	3	4	5	34	61%	19%
Slender Pondweed	0	0	1	1	0	2	1	0	2	7	13%	4%
Hydrilla	0	0	0	0	0	0	0	0	0	0	0%	0%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	3	3	2	2	3	3	1	0	3	20	36%	11%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	5	5	6	5	5	6	6	4	6			
Total Observed at Site	16	18	17	16	18	30	21	22	25	183		
No SAV found	0	0	0	0	0	0	0	0	0		0%	