

FALL 2002 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 27 Surveys)	% of total SAV found
Coontail	2	1	2	2	3	3	3	3	3	22	81%	35%
Curly Pondweed	0	0	0	0	0	0	1	1	2	4	15%	6%
Wild Celery	2	1	3	3	3	3	3	3	3	24	89%	39%
Common Waterweed	0	0	0	0	2	0	1	1	2	6	22%	10%
Slender Pondweed	0	0	0	1	0	0	1	0	0	2	7%	3%
Hydrilla	0	0	0	0	0	0	2	1	1	4	15%	6%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	2	2	2	3	3	2	6	5	5			
Total Observed at Site	4	2	5	6	8	6	11	9	11	62		
No SAV found	0	0	0	0	0	0	0	0	0		0%	