

## FALL 2004 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 65 Surveys)	% of total SAV found
Coontail	0	4	8	4	5	7	6	7	7	36	55%	17%
Curly Pondweed	0	1	2	2	3	4	4	7	7	30	46%	14%
Wild Celery	2	0	5	4	6	7	7	7	7	45	69%	21%
Common Waterweed	1	1	2	3	4	3	2	6	5	27	42%	12%
Slender Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Hydrilla	7	8	8	7	7	7	7	7	7	65	100%	30%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	3	1	0	2	1	2	1	2	2	14	22%	6%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	4	5	5	6	6	6	6	6	6			
Total Observed at Site	13	15	25	22	26	30	27	36	35	217		
No SAV found	0	0	0	0	0	0	0	0	0		0%	