

FALL 2005 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 77 Surveys)	% of total SAV found
Coontail	6	7	5	7	7	5	8	9	8	62	81%	29%
Curly Pondweed	0	0	0	0	0	2	0	8	7	17	22%	8%
Wild Celery	1	3	5	2	5	7	8	9	8	48	62%	23%
Common Waterweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Slender Pondweed	0	0	0	0	0	0	0	1	1	2	3%	1%
Hydrilla	9	10	9	9	6	8	8	9	8	76	99%	36%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	0	0	1	1	2	1	0	1	0	6	8%	3%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	2	3	4	4	3	4	3	4	4			
Total Observed at Site	16	20	20	19	20	23	24	37	32	211		
No SAV found	0	0	0	0	0	0	0	0	0		0%	