

# FALL 2007 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 60 Surveys)	% of total SAV found
Coontail	2	3	4	6	7	7	6	6	6	47	78%	54%
Curly Pondweed	0	0	0	0	0	0	0	1	0	1	2%	1%
Wild Celery	0	0	0	0	0	0	0	2	0	2	3%	2%
Common Waterweed	0	0	0	0	2	2	1	0	1	6	10%	7%
Slender Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Hydrilla	1	4	1	4	3	4	4	5	5	31	52%	36%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	2	2	2	2	3	3	3	4	3			
Total Observed at Site	3	7	5	10	12	13	11	14	12	87		
No SAV found	0	0	0	0	0	0	0	0	0		0%	