

# FALL 2010 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 52 Surveys)	% of total SAV found
Coontail	4	6	6	6	4	5	6	5	5	47	90%	41%
Curly Pondweed	0	0	0	0	0	1	1	0	1	3	6%	3%
Wild Celery	0	0	0	0	0	0	0	4	3	7	13%	6%
Common Waterweed	0	0	0	1	2	1	2	0	1	7	13%	6%
Slender Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Hydrilla	5	6	6	6	5	5	6	5	5	49	94%	43%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	0	0	0	0	0	0	1	0	1	2	4%	2%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	2	2	2	3	3	4	5	3	6			
Total Observed at Site	9	12	12	13	11	12	16	14	16	115		
No SAV found	0	0	0	0	0	0	0	0	0		0%	