

FALL 2011 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 52 Surveys)	% of total SAV found
Coontail	5	5	5	3	3	3	5	5	5	39	75%	31%
Curly Pondweed	0	0	1	1	0	0	0	0	0	2	4%	2%
Wild Celery	0	0	0	1	0	0	0	4	4	9	17%	7%
Common Waterweed	0	0	0	0	0	0	0	1	0	0	2%	1%
Slender Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Hydrilla	8	8	6	6	5	4	5	5	5	52	100%	42%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	3	6	6	3	2	2	0	0	0	22	42%	18%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	3	3	4	5	3	3	2	4	3			
Total Observed at Site	16	19	18	14	10	9	10	15	14	125		
No SAV found	0	0	0	0	0	0	0	0	0		0%	