

FALL 2012 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 56 Surveys)	% of total SAV found
Coontail	2	3	4	3	2	6	6	6	5	37	66%	49%
Curly Pondweed	0	0	0	0	0	0	0	1	0	1	2%	1%
Wild Celery	0	0	0	0	0	0	0	0	0	0	0%	0%
Common Waterweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Slender Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Hydrilla	1	3	3	3	3	5	6	6	5	35	63%	46%
Horned Pondweed	0	0	0	0	0	0	0	0	0	0	0%	0%
Naiad	0	0	0	1	0	0	1	1	0	3	5%	4%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	2	2	2	3	2	2	3	4	2			
Total Observed at Site	3	6	7	7	5	11	13	14	10	76		
No SAV found	4	3	2	2	3	1	0	0	0	15	27%	