

SPRING 2001 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 34 Surveys)	% of total SAV found
Coontail	0	1	3	4	3	3	3	3	4	20	59%	19%
Curly Pondweed	2	2	4	4	3	4	4	3	4	30	88%	28%
Wild Celery	2	1	0	1	0	1	1	1	0	7	21%	7%
Common Waterweed	1	3	3	3	3	3	3	3	4	26	76%	24%
Slender Pondweed	1	2	3	4	3	3	3	3	3	25	74%	23%
Hydrilla	0	0	0	0	0	0	0	0	0	0	0%	0%
Horned Pondweed	1	1	1	3	2	3	2	3	2	18	53%	17%
Naiad	0	0	0	0	0	1	0	0	0	1	3%	1%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	5	6	5	6	5	7	6	6	5			
Total Observed at Site	7	10	14	19	14	18	16	16	17	107		
No SAV found	0	0	0	0	0	0	0	0	0		0%	