

SPRING 2011 DATA FOR COCKTOWN CREEK

Species	Site 1 to 2	Site 2 to 3	Site 3 to 4	Site 4 to 5	Site 5 to 6	Site 6 to 7	Site 7 to 8	Site 8 to 9	Site 9 to 10	Total SAV observed	Frequency (In 51 Surveys)	% of total SAV found
Coontail	1	2	7	3	3	3	5	4	5	33	65%	17%
Curly Pondweed	0	0	0	1	0	1	1	4	4	11	22%	6%
Wild Celery	0	0	0	0	0	0	0	0	1	1	2%	1%
Common Waterweed	0	0	0	0	0	0	0	1	3	4	8%	2%
Slender Pondweed	0	0	0	0	0	1	4	3	4	12	24%	6%
Hydrilla	3	6	8	4	5	3	5	2	5	41	80%	22%
Horned Pondweed	5	8	8	5	6	4	5	4	5	50	98%	26%
Naiad	1	0	1	0	1	0	0	0	0	3	6%	2%
Southern Naiad	0	0	0	0	0	0	0	0	0	0	0%	0%
Species "richness"	4	3	4	4	4	5	5	6	7			
Total Observed at Site	14	16	28	13	19	17	25	24	34	190		
No SAV found	0	0	0	0	0	0	0	0	0		0%	