

Laboratory Certification ID	Laboratory Name	City/State	Laboratory Certification ID (Laboratory Performing Sample Analysis)	School Name	County	School Type (Code)	School ID	Laboratory Reporting Date	Laboratory Sample ID	School Outlet ID/Floor Plan ID	Building #	Building Name	Building Address	Floor #	Sample Tap/Outlet Type (code)	Sample Tap/Outlet Use (code)	Sample Tap/Outlet Description/Location	Sample Volume (mL)	Sample Type (Code)	Date Water Last Used	Time Water Last Used	Date Sample Collected	Time Sample Collected	Sampler Name	Sampler Telephone number	Analysis Date	Analysis Method	Detection Limit (ppb)	Lead Sample Result (ppb)	≥ 20.5 ppb AL?	Notes
							04-09-00																								
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20992	1	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	left fountain in cafeteria	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:32:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20993	2	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	right fountain in cafeteria	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:32:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20994	3	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain across from lounge	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:33:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20995	4	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain near 30	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:35:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20996	5	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain in 35	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:45:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20997	6	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain in 6	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:46:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20998	7	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain across from 19	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:41:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K20999	8	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	KS	CO	solo faucet at prep table	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:30:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21000	9	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	KS	CO	left faucet 3 compartment sink	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:30:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	4.4	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21001	10	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	KS	CO	right faucet 3 compartment sink	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:31:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	4.1	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21002	11	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CR	CO	faucet in 31	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:37:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	3.8	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21003	12	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	faountain in 12	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:36:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21004	b13	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 45	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:41:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21005	14	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 45	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:41:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21006	b15	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 44	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:42:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21007	16	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 44	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:42:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21008	17	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CR	CO	faucet in 28	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:35:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	8.3	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21009	b18	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 19	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:42:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21010	19	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 19	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:42:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.2	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21011	b20	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 18	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:43:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21012	21	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 18	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:43:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.6	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21013	b22	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 15	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:45:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.5	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21014	23	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 15	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:45:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.7	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21015	b24	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 14	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:46:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21016	25	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 14	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:46:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.2	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21017	b26	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CF	CO	bubbler in 11	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:47:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21018	27	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CS	CO	faucet in 11	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:47:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21019	28	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CR	CO	left faucet in 28	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:48:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.2	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21020	29	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	CR	CO	right faucet in 28	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:48:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21021	30	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain by 5	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:56:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21022	31	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	TL	CO	faucet in IT storage in media center	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:36:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	4.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21023	32	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	NO	CO	faucet in health room	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:38:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	1.0	No	

Laboratory Certification ID	Laboratory Name	City/State	Laboratory Certification ID (Laboratory Performing Sample Analysis)	School Name	County	School Type (Code)	School ID	Laboratory Reporting Date	Laboratory Sample ID	School Outlet ID/Floor Plan ID	Building #	Building Name	Building Address	Floor #	Sample Tap/Outlet Type (code)	Sample Tap/Outlet Use (code)	Sample Tap/Outlet Description/Location	Sample Volume (mL)	Sample Type (Code)	Date Water Last Used	Time Water Last Used	Date Sample Collected	Time Sample Collected	Sampler Name	Sampler Telephone number	Analysis Date	Analysis Method	Detection Limit (ppb)	Lead Sample Result (ppb)	≥ 20.5 ppb AL?	Notes
							09-																								
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21024	33	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	LT	CO	faucet in mail room	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:37:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21025	34	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain outside 22	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:51:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21026	35	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	DF	CO	fountain outside of gym	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:52:00 AM	Lonnie Smith	410-535-1800	5/14/2018	200.9	1	<1.0	No	
MD-214	Water Testing Laboratory of MD	Stevensville, MD	MD-214	Mount Harmony Elementary	Calvert	P	04.007	7/21/2018	K21027	36	1	Main Building	900 W Mt Harmony Road Owings, Maryland	1	IM	CO	Ice machine in nurse room	250	FD	5/7/2018	8:30:00 PM	5/8/2018	6:38:00 AM	Chris Mlinaric	410-535-1800	5/14/2018	200.9	1	<1.0	No	

I do hereby affirm that this record contains no willfull misrepresentations or falsifications and that this information given by me is true and complete to the best of my knowledge.

Joy Ostroff Shields



Laboratory Manager